

**GOVERNMENT OF MEGHALAYA**  
**DIRECTORATE OF COMMERCE & INDUSTRIES**

Plot No.L/D 015 Lower Nongrim Hills, Shillong-793003 Email :[industries-meg@gov.in](mailto:industries-meg@gov.in)

**NOTICE INVITING QUOTATION**

No.M/Dind/MSME/4/2025/1

Date: 13<sup>th</sup> February 2025

Sealed Quotation affixing Non-Refundable Court Fee Stamp of Rs.1000/- (Rupees One Thousand) only are invited from the reputed Manufacturer/Authorised Dealer/Supplier for supply (including assembling, installation & commissioning) of Machineries & Equipment and Furniture for the 16 (Sixteen) Nos. Departmental Training Centres, **on turnkey basis**, under DCIC Strengthening --Upgradation of DCIC Training Centres through RAMP Programme, Ministry of MSME, GoI against each trade and destinations which are as enclosed in *Annexure 1*

Quotations must reach O/o Directorate of Commerce and Industries, Plot No L/D 015, Lower Nongrim Hills, Shillong on or before the date and time mentioned below:

|                                   |  |
|-----------------------------------|--|
| Last date of receipt of quotation | 6 <sup>th</sup> March,2025 at 3:00 p.m |
| Opening of quotation              | 6 <sup>th</sup> March,2025 at 3:30 p.m |

Quotations received after the above mentioned last date and time will not be considered.

The Quotations along with related documents will be evaluated on turnkey bases by the Departmental Purchase Board Committee and Supply Orders will be issued to the firms based on the recommendations of the Committee.

The details on the specifications of the machineries and equipment and NIQ can be obtained from the departmental website – [www.megindustry.gov.in](http://www.megindustry.gov.in), or from office of the undersigned on any working day.

Sd/-

Director of Commerce & Industries

## TERMS AND CONDITIONS

1. The Quotation with reference to this Letter/NIQ No. must be addressed to the Director of Commerce & Industries, L/D015, Lower Nongrim Hills, Shillong — 793003 and the words "Quotation for supply (including assembling, installation & commissioning) of Machineries & Equipment and Furniture for the Departmental Training Centres under DCIC Strengthening --Upgradation of DCIC Training Centres" should be superscribed on the sealed envelope containing the Quotation and other related documents.
2. Technical bid clearly mentioning "Technical bid for supply (including assembling, installation & commissioning) of Machineries & Equipment and Furniture for the Departmental Training Centres, under DCIC Strengthening --Upgradation of DCIC Training Centres" should be placed in a separate envelope inside the above-mentioned envelope at Serial no. 1.
3. Financial bid clearly mentioning "Financial bid for the supply (including assembling, installation & commissioning) of Machineries & Equipment and Furniture for the Departmental Training Centres under DCIC Strengthening --Upgradation of DCIC Training Centres" should also be placed in a separate envelope inside the above-mentioned envelope at Serial no. 1.
4. Quotations must be neatly typed, and any deviation in the offer shall lead to rejection.
5. Quotations must be on the Letterheads of the Manufacturer/Dealer/Supplier mentioning full address, location of office, with telephone/mobile numbers, e-mail address, GST No., PAN, etc. clearly mentioning whether he/she is a Manufacturer/Dealer/Supplier.
6. Bidders must mention full address, with telephone/mobile numbers and e-mail address on the envelope containing the Quotation.
7. The Quotation should accompany an undertaking to the effect that in case the supply of goods is found to be faulty and/or incomplete, the same will be liable to be rejected and will be required to be replaced by the concerned supplier within 15 days, at the destination.
8. The Quotation should also accompany an undertaking to the effect that the bidders have never been blacklisted from any State/Central/Private Organisation or any other institution.
9. No offer received through e-mail or FAX shall be entertained.
10. Financial Bids will be opened only for qualifying Technical Bids .
11. Rates quoted should be inclusive of all taxes at the destination as indicated above and should be accompanied by Catalogue/Test Report wherever applicable for Tools, Equipment & Furniture.
12. All quotation must be valid for at least 90 (Ninety) days from the date of opening of Quotations.
13. The model for each Machine, Equipment & Furniture should be made specific and the rates quoted shall be for that particular type and quality. The Manufacturer's Brand Name should be clearly indicated.
14. Warranty period must be indicated against each Machine, Equipment & Furniture.
15. The bidders, who quote the item, must provide terms & conditions, upgrade policy and installation etc.
16. Quotations must be accompanied with attested copies of up-to-date and valid GST Registration Certificate, PAN, Professional Tax and Trading License (For Non-Tribal), else, the Quotation shall be considered as invalid.
17. Above NIQ is floated on turnkey basis, it is mandatory for Bidder to quote all items as specified in NIQ against each destination.
18. Selection of successful Bidder by Departmental Purchase Board of Commerce & Industries Department, Government of Meghalaya will be based on evaluation of terms and conditions and technical requirement stated in NIQ and also on the lowest bid on total cost quoted for all the items as specified in the above NIQ.

19. Parties are permitted to quote 2 or 3 models for each type of Machine, Equipment & Furniture.
20. Earnest Money of 10,000/- (Rupees Ten Thousand) in the form of Demand Draft drawn in favour of the Director of Commerce & Industries, Meghalaya, Shillong should be submitted along with Quotation. For bidders belonging to SC/ST, only 50% of the Earnest Money may be deposited, subject to production of certificate.
21. Earnest Money will be converted into Security Deposit for the successful bidders and will be released after 3 months, only on satisfactory completion of delivery of all items, as per Supply Order. For the unsuccessful bidders, the Earnest Money will be refunded after finalization of the Supply Order.
22. Successful bidders must furnish a Security Deposit of 5% of valuation of supply order amount in the form of Bank Guarantee in Nationalised Bank or through Demand Draft. SC/ST bidders may deposit 50% of the Security Deposit amount, subject to production of SC/ST certificate.
23. All items as per Supply Order must be dispatched to the respective Training Centres of the Department across Meghalaya.
24. Delivery of all items, as per Supply Order, must be completed within 30 (Thirty) days from the date of receiving the Supply Order. .
25. Supplier should complete the work within the stipulated time, failing which, their performance Security Deposit will be forfeited by the office, for which an undertaking is required to be submitted along with the quotation.
26. Inspection of goods supplied will be carried out by the consignee or authorized personnel from the Department, at the destination, and rejected goods will have to be removed within 10 days from the date of dispatch of advice from the indenting officer, failing which the supplier shall be responsible for loss.
27. The rejected goods must be replaced within 15 days of the dispatch advice by the indenting officer, failing which indenting officer will be entitled to plan its disposal without any further reference.
28. The undersigned reserves the right to accept or reject any quotation without assigning any reasons thereof or to change the supplier at any time, if the supply of items is found to be incomplete or of inferior quality or bad workmanship, etc.
29. Completion Certificate should be obtained from the authorized personnel of the centre where the items have been delivered as per Proforma enclosed vide Annexure II.
30. 50% payment will be released against delivery and inspection of the material and balance 50% payment shall be released within 45 days after having the inspection and installation report of the equipment/material.
31. The Security Deposit of the successful bidders will be released after the completion of all related processes/ warranty period of machineries and equipment.
32. Penalty: The Director of Commerce & Industries, Meghalaya, and Shillong reserves the right to impose 0.5% (Half) percent penalty per week on account of delay in supply, if delivery received after expiry of the original delivery period. The total penalty should not exceed 10% of the value of the delayed goods
33. If there is any dispute, the decision of the Director of Commerce & Industries, Meghalaya, Shillong shall be final. All disputes are subject to Meghalaya jurisdiction.

Sd/-

Director of Commerce & Industries.

### Annexure 1

| Sl. No. | Delivery Destination       | Trade             | Item  | Item Description  | Requirement |
|---------|----------------------------|-------------------|---|---|-------------|
| 1       | <b>TCPC,<br/>Mawsynram</b> | <b>Tailoring</b>  | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function  | 5           |
| 2       |                            |                   | Set of Spares compatible with the quoted Sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10          |
| 3       |                            |                   | Denim Sewing Machine                                    | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5           |
| 4       |                            |                   | Sewing toolkit set                                      | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion                       | 30          |
| 5       |                            |                   | Label Heat Press Machine                                | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size   | 2           |
| 6       |                            |                   | Dry Iron  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 5           |
| 7       |                            |                   | Steam Iron  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank  | 5           |
| 8       |                            |                   | Stand Steam Iron  | Min 1500 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings  | 2           |
| 9       |                            |                   | Ironing Board   | At least 12 * 54 inches (WXL), adjustable height, heat resitant, metal body   | 5           |
| 10      |                            |                   | Padded Sleeve Ironing Board                             | Ironing board with padded arm for sleeve pressing   | 5           |
| 11      |                            |                   | Cutting Mat   | Self Healing, A1 Size   | 10          |
| 12      |                            |                   | Designer Mood Board                                     | 5'X7'   | 5           |
| 13      |                            |                   | Ladies Dress Form                                       | Adjustable sizes  | 2           |
| 14      |                            | <b>Embroidery</b> | Embroidery Machine                                      | 2-in-1 (Foot & Motor Operated), Flatbed, Small Table, Zig-zag,  | 15          |
| 15      |                            |                   | Professional Embroidery Machine                         | Motor operated, Big Table, Zig-zag Embroidery Machine, with knee lifter attachment  | 10          |

| Sl. No. | Delivery Destination | Trade           | Item  | Item Description  | Requirement |
|---------|----------------------|-----------------|---|---|-------------|
| 16      |                      |                 | Computerized Embroidery Sewing Machine                      | Min. 250 Built-in Stitches and 150 Embroidery Designs, Motor operated, Big Table, with knee lifter attachment | 2           |
| 17      |                      |                 | Soldering Machine   | 60W, Soldering Machine/Cut work Machine with Stand for Embroidery   | 10          |
| 18      |                      |                 | Set of Spares compatible with the quoted embroidery machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case               | 10          |
| 19      |                      | <i>Knitting</i> | Transfer Needle Set   | Sizes - 1/2, 2/3 and 3/4  | 5           |
| 20      |                      |                 | Portable Circular Knitting Machine                          | Round Knitting Machine, 48 Needle, hand crank with row counter, For Hat, Scarves, Gloves, Socks               | 15          |
| 21      |                      |                 | Hanging Weight  | Claw type hanger weight for knitting  | 40          |
| 22      |                      |                 | Knitting Needles Set  | 6,7,8,9,10,11 and 12  | 20          |

| Sl. No. | Delivery Destination   | Trade                     | Item   | Item Description  | Requirement |
|---------|------------------------|---------------------------|--|---|-------------|
| 1       | <b>TCPC, Mawsynram</b> | <i>Embroidery Section</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)  | 1           |
| 2       |                        |                           | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1           |
| 3       |                        |                           | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5           |
| 4       |                        |                           | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                        |                           | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                        |                           | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 3           |

| <b>Sl. No.</b> | <b>Delivery Destination</b> | <b>Trade</b>             | <b>Item</b>                                  | <b>Item Description</b>  | <b>Requirement</b>                             |
|----------------|-----------------------------|--------------------------|--|--|--|
| 7              |                             |                          | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH) | 12   |
| 8              |                             |                          | Cutting table (Wooden) with Thick Fabric top | 78.74 inch X 40 inch x 31.4 inch , Wooden/Metal Frame, Top: Wooden base with Fabric cover of Denim/Canvas          | 2  |
| 9              |                             | <b>Tailoring Section</b> | Steel Almirah                                | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments                                      | 3  |
| 10             |                             |                          | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH) | 12   |
| 11             |                             |                          | Cutting table (Wooden) with Thick Fabric top | 78.74 inch X 40 inch x 31.4 inch , Wooden/Metal Frame, Top: Wooden base with Fabric cover of Denim/Canvas          | 3  |
| 12             |                             |                          | Office Table (Single side shelf)             | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)   | 1  |
| 13             |                             |                          | Steel Almirah                                | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments                                      | 3  |
| 14             |                             | <b>Knitting Section</b>  | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH) | 12   |
| 15             |                             |                          | Tables for Knitting Machines                 | 33 X 51 X 30 inch (LXBXH), Wooden/Metal Frame, Top: Wooden, min. 1.5 inch thickness                                | 6  |
| 16             |                             |                          | <b>Manager's Office &amp; Staff room</b>     | White Board  | 4X6 feet, single-sided, magnetic, dry erasable |
| 17             |                             | Steel Almirah            |  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments                                      | 4  |

| Sl. No. | Delivery Destination                | Trade   | Item  | Item Description  | Requirement  |
|---------|-------------------------------------|---|---|---|--|
| 1       | TCPI,<br>Nongrim Hills,<br>Shillong | <i>Tailoring</i>  | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function  | 5  |
| 2       |                                     |   | Set of Spares compatible with the quoted Sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10   |
| 3       |                                     |   | Sewing toolkit set                                      | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion | 30   |
| 4       |                                     |   | Label Heat Press Machine                                | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size                                   | 2  |
| 5       |                                     |   | Dry Iron  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 5  |
| 6       |                                     |   | Steam Iron  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank                            | 5  |
| 7       |                                     |   | Stand Steam Iron  | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings                    | 2  |
| 8       |                                     |   | Ironing Board   | At least 12 * 54 inches (WXL), adjustable height, heat resitant, metal body   | 5  |
| 9       |                                     |   | Padded Sleeve Ironing Board                             | Ironing board with padded arm for sleeve pressing   | 5  |
| 10      |                                     |   | Cutting Mat   | Self Healing, A1 Size   | 10   |
| 12      |                                     |   | Designer Mood Board                                     | 5'X7'   | 5  |
| 13      |                                     |   | Ladies Dress Form                                       | Adjustable sizes  | 5  |
| 14      |                                     |   | <i>Embroidery</i>                                       | Professional Embroidery Machine   | Motor operated, Big Table, Zig-zag Embroidery Machine, with knee lifter attachment |
| 15      |                                     | Set of Spares compatible with the quoted embroidery machine |   | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10   |
| 16      |                                     | Computerized Embroidery Sewing Machine                      |   | Min. 250 Built-in Stitches and 150 Embroidery Designs, Motor operated, Big Table, with knee lifter attachment                             | 2  |

| Sl. No. | Delivery Destination  | Trade            | Item                               | Item Description   | Requirement |
|---------|---|------------------|------------------------------------|--|-------------|
| 17      |   | <i>Knitting</i>  | Soldering Machine                  | 60W, Soldering Machine/Cut work Machine with Stand for Embroidery  | 5           |
| 18      |   |                  | Transfer Needle Set                | Sizes - 1/2, 2/3 and 3/4   | 5           |
| 19      |   |                  | Portable Circular Knitting Machine | Round Knitting Machine, 48 Needle, hand crank with row counter, For Hat, Scarves, Gloves, Socks              | 10          |
| 20      |   |                  | Hanging Weight                     | Claw type hanger weight for knitting   | 40          |
| 21      |   |                  | Knitting Needles Set               | 6,7,8,9,10,11 and 12   | 10          |
| 22      | <b>LBC,<br/>Nongrim<br/>Hills,<br/>Shillong</b><br><br><b>East Khasi<br/>Hills District</b> | <i>Carpentry</i> | Professional Router                | Min. 1500W, Soft Start, Spindle Lock, Bit holder = 8 – 12.7 mm, 10000 to 25000 RPM, Max. Cage Stroke = 76 mm | 2           |
| 23      |   |                  | Horizontal Sander                  | Min. 1000 W, Min. 2500 RPM, Sanding Belt Size = 6"   | 2           |
| 24      |   |                  | Belt & Disc Sander                 | Min. 350 W, Single Phase, Min. 1500 RPM, Belt Width = 6", Disc Dia. = 6", With Stand/Bench                   | 2           |
| 25      |   |                  | Circular Saw                       | Min. 1500 W, Min.4000 RPM, Blade Size = 10", Tilting Range = 0-45 Degrees, Mitre Gauge, Blade Guard,         | 2           |
| 26      |   |                  | Jig Saw                            | Min.450 W, Adjustable Stroke Rate, Variable Speed, upto 45 Degree Bevel.                                     | 2           |
| 27      |   |                  | Portable Spray-Painting Machine    | Min.400 W, Min.800 ml Tank, Adjustable Spray Patterns, Adjustable Spray Flow Rate                            | 2           |

| Sl. No. | Delivery Destination                             | Trade            | Item   | Item Description  | Requirement |
|---------|--|------------------|--|---|-------------|
| 1       | <b>TCPI,<br/>Nongrim<br/>Hills,<br/>Shillong</b> | <i>Tailoring</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)                             | 1           |
| 2       |  |                  | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WDXH) | 1           |



| Sl. No. | Delivery Destination                | Trade                   | Item   | Item Description  | Requirement |
|---------|-------------------------------------|-------------------------|--|---|-------------|
| 3       | TCPI,<br>Nongrim Hills,<br>Shillong | <i>Tailoring</i>        | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 7           |
| 4       |                                     |                         | Office Table (Single side shelf)                                   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 5           |
| 5       |                                     |                         | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 50          |
| 6       |                                     |                         | Show cases (For display of products – Steel with full Glass Front) | 102 inch X 24 inch X 78 inch  | 2           |
| 7       |                                     |                         | Cutting table (Wooden) with Thick Fabric top                       | 78.74 inch X 40 inch x 31.4 inch , Wooden/Metal Frame, Top: Wooden base with Fabric cover of Denim/Canvas   | 1           |
| 8       |                                     | <i>Manager's Office</i> | White Board  | 4X6 feet, single-sided, magnetic, dry erasable  | 7           |
| 9       |                                     |                         | Soft Board   | 4X3 feet, single-sided  | 4           |
| 10      |                                     |                         | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 2           |

| Sl. No. | Delivery Destination                    | Trade             | Item                             | Technical Specifications   | Requirement |
|---------|---|-------------------|----------------------------------|--|-------------|
| 1       | CFSW,<br>Industrial Estate,<br>Shillong | <i>Automobile</i> | Hydraulic RAMP                   | 4 Posts, Lifting Height = 150-1800 mm, Lifting Capacity = 2-4 Tons,            | 2           |
| 2       |   |                   | Commercial multi battery charger | 12-24 V, 30A, Automotive charger   | 2           |
| 3       |   |                   | Jump starter                     | Automotive jump starter, 12 V  | 5           |
| 4       |   |                   | Car Engine Crane                 | 3 Ton Load Capacity Engine Crane With 360° Rotation and 2500 mm Lifting Height | 2           |
| 5       |   |                   | Strut Spring Compressor          | Min compression 1200 kgs, commercial strut spring compressor with cart         | 2           |

| Sl. No. | Delivery Destination                       | Trade                        | Item                         | Technical Specifications   | Requirement |
|---------|--|------------------------------|------------------------------|--|-------------|
| 6       | CFSW,<br>Industrial<br>Estate,<br>Shillong |                              | Hydraulic torque wrench      | Base specifications: Torque:-19620 NM, Hex Wrench Size: 85MM to 115MM, Accuracy:- +/- 2.5, Repeatability:- +/- 1% with Maintenance kit equipped with set of spanners, Allen keys, adjustable spanner, screw drivers and all necessary tools for maintenance of the wrench and power pack | 2           |
| 7       |  | <i>Steel<br/>Fabrication</i> | Stand Drill Machine          | 1 HP, 8 Speed, Range 80-2500 RPM, >=20 mm Drilling Capacity, Height Adjustable Table   | 3           |
| 8       |  |                              | Bench/Table Drill Machine    | Min. 6 mm 500 Watt Bench Drill Machine with 9 Adjustable Speed and 2350 RPM  | 2           |
| 9       |  |                              | Manual Sheet Bending Machine | Min. 6 feet, Steel body, Bending Radius 0-50 mm, Bending Angle 0-90  | 1           |
| 10      |  |                              | Straight Grinder             | 750W 33000rpm Straight Grinder,  | 5           |
| 11      |  |                              | Tool Kit set                 | Measuring Tape, C-Clamp, Grip Pliers, Multi Angle Magnetic Welding Holder Clamps, Magnetic Grounding Clamps, Chipping Hammer   | 10          |

| Sl. No. | Delivery Destination                       | Trade                         | Item   | Technical Specifications   | Requirement |
|---------|--|-------------------------------|--|--|-------------|
| 1       | CFSW,<br>Industrial<br>Estate,<br>Shillong | <i>Automobile<br/>Section</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)                              | 1           |
| 2       |  |                               | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 1           |
| 3       |  |                               | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 5           |
| 4       |  |                               | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)   | 3           |
| 5       |  |                               | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments  | 1           |

| Sl. No. | Delivery Destination | Trade                    | Item          | Technical Specifications  | Requirement |
|---------|----------------------|--------------------------|---------------|---|-------------|
| 6       |                      |                          | White Board   | 4X6 feet, single-sided, magnetic, dry erasable                                | 2           |
| 7       |                      | <i>Steel Fabrication</i> | Steel Almirah | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments | 1           |

| Sl. No. | Delivery Destination | Trade            | Item  | Item Description  | Requirement |
|---------|----------------------|------------------|---|---|-------------|
| 1       | KTEC, Khliehriat     | <i>Tailoring</i> | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function  | 3           |
| 2       |                      |                  | Set of Spares compatible with the quoted sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10          |
| 3       |                      |                  | Denim Sewing Machine                                    | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5           |
| 4       |                      |                  | Sewing toolkit set                                      | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion                       | 30          |
| 5       |                      |                  | Label Heat Press Machine                                | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size   | 2           |
| 6       |                      |                  | Dry Iron  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 5           |
| 7       |                      |                  | Steam Iron  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank  | 2           |
| 8       |                      |                  | Stand Steam Iron  | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings  | 1           |
| 9       |                      |                  | Ironing Board   | At least 12 * 54 inches (WXL), adjustable height, heat resistant, metal body  | 3           |
| 10      |                      |                  | Padded Sleeve Ironing Board                             | Ironing board with padded arm for sleeve pressing   | 3           |
| 11      |                      |                  | Cutting Mat   | Self Healing, A1 Size   | 3           |
| 12      |                      |                  | Designer Mood Board                                     | 5'X7'   | 3           |
| 13      |                      |                  | Ladies Dress Form                                       | Adjustable sizes  | 3           |

| Sl. No. | Delivery Destination | Trade             | Item  | Item Description  | Requirement |
|---------|----------------------|-------------------|---|---|-------------|
| 14      |                      | <i>Embroidery</i> | Embroidery Machine  | 2-in-1 (Foot & Motor Operated), Flatbed, Small Table, Zig-zag,  | 6           |
| 15      |                      |                   | Professional Embroidery Machine                             | Motor operated, Big Table, Zig-zag Embroidery Machine, with knee lifter attachment                            | 4           |
| 16      |                      |                   | Set of Spares compatible with the quoted embroidery machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case               | 10          |
| 17      |                      |                   | Computerized Embroidery Sewing Machine                      | Min. 250 Built-in Stitches and 150 Embroidery Designs, Motor operated, Big Table, with knee lifter attachment | 2           |
| 18      |                      |                   | Soldering Machine   | 60W, Soldering Machine/Cut work Machine with Stand for Embroidery   | 2           |
| 19      |                      | <i>Knitting</i>   | Transfer Needle Set   | Sizes - 1/2, 2/3 and 3/4  | 5           |
| 20      |                      |                   | Portable Circular Knitting Machine                          | Round Knitting Machine, 48 Needle, hand crank with row counter, For Hat, Scarves, Gloves, Socks               | 10          |
| 21      |                      |                   | Hanging Weight  | Claw type hanger weight for knitting  | 40          |
| 22      |                      |                   | Knitting Needles Set  | 6,7,8,9,10,11 and 12  | 10          |

| Sl. No. | Delivery Destination                 | Trade                       | Item   | Item Description   | Requirement |
|---------|--------------------------------------|-----------------------------|--|--|-------------|
| 1       | <b>KTEC,<br/>Khliehriat,<br/>EJH</b> | <i>Knitting<br/>Section</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)                              | 1           |
| 2       |                                      |                             | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 1           |
| 3       |                                      |                             | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 5           |
| 4       |                                      |                             | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)   | 3           |

| Sl. No. | Delivery Destination        | Trade                     | Item   | Item Description  | Requirement |
|---------|-----------------------------|---------------------------|--|---|-------------|
| 5       | KTEC,<br>Khliehriat,<br>EJH |                           | Armless Plastic Chair                        | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                             |                           | Steel Almirah                                | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1           |
| 7       |                             |                           | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 17          |
| 8       |                             | <i>Tailoring Section</i>  | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 17          |
| 9       |                             |                           | Cutting table (Wooden) with Thick Fabric top | 78.74 inch X 40 inch x 31.4 inch , Wooden/Metal Frame, Top: Wooden base with Fabric cover of Denim/Canvas   | 1           |
| 10      |                             | <i>Embroidery Section</i> | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 17          |
| 11      |                             | <i>Carpentry Section</i>  | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 17          |
| 12      |                             |                           | White Board                                  | 4X6 feet, single-sided, magnetic, dry erasable  | 3           |

| Sl. No. | Delivery Destination | Trade            | Item  | Item Description  | Requirement |
|---------|----------------------|------------------|---|---|-------------|
| 1       | KTCE,<br>Mualsei     | <i>Tailoring</i> | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function  | 2           |
| 2       |                      |                  | Set of Spares compatible with the quoted Sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10          |
| 3       |                      |                  | Denim Sewing Machine                                    | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5           |

| Sl. No. | Delivery Destination | Trade                | Item                        | Item Description  | Requirement  |    |
|---------|----------------------|----------------------|-----------------------------|---|--|----|
| 4       |                      | <i>Tailoring</i>     | Sewing toolkit set          | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion | 30   |    |
| 5       |                      |                      | Label Heat Press Machine    | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size                                   | 1  |    |
| 6       |                      |                      | Dry Iron                    | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 5  |    |
| 7       |                      |                      | Steam Iron                  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank                            | 2  |    |
| 8       |                      |                      | Stand Steam Iron            | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings                    | 1  |    |
| 9       |                      |                      | Ironing Board               | At least 12 * 54 inches (WXL), adjustable height, heat resistant, metal body  | 3  |    |
| 10      |                      |                      | Padded Sleeve Ironing Board | Ironing board with padded arm for sleeve pressing   | 3  |    |
| 11      |                      |                      | Cutting Mat                 | Self Healing, A1 Size   | 4  |    |
| 12      |                      |                      | Designer Mood Board         | 5'X7'   | 2  |    |
| 13      |                      |                      | Ladies Dress Form           | Adjustable sizes  | 2  |    |
| 14      |                      |                      | <i>Knitting</i>             | Transfer Needle Set   | Sizes - 1/2, 2/3 and 3/4   | 5  |
| 15      |                      |                      |                             | Portable Circular Knitting Machine  | Round Knitting Machine, 48 Needle, hand crank with row counter, For Hat, Scarves, Gloves, Socks  | 10 |
| 16      |                      |                      |                             | Hanging Weight  | Claw type hanger weight for knitting   | 20 |
| 17      |                      | Knitting Needles Set |                             | 6,7,8,9,10,11 and 12  | 5  |    |
| 1       |                      | <b>Mualsei, EJH</b>  | <i>Knitting</i>             | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer  | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)                              | 1  |
| 2       |                      |                      |                             | Office Chair for Computer Table   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 1  |
| 3       |                      |                      |                             | Office Chair  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 5  |

| Sl. No. | Delivery Destination | Trade            | Item   | Item Description  | Requirement |
|---------|----------------------|------------------|--|---|-------------|
| 4       |                      |                  | Office Table (Single side shelf)             | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                      |                  | Armless Plastic Chair                        | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                      |                  | Steel Almirah                                | 36 X 19 X 78 inch (WDXH), 4 shelves/5 compartments, 4 shelves/5 compartments  | 1           |
|         |                      |                  | White Board                                  | 4X6 feet, single-sided, magnetic, dry erasable  | 2           |
| 7       |                      | <i>Tailoring</i> | Cutting table (Wooden) with Thick Fabric top | 78.74 inch X 40 inch x 31.4 inch , Wooden/Metal Frame, Top: Wooden base with Fabric cover of Denim/Canvas   | 1           |

| Sl. No. | Delivery Destination   | Trade            | Item  | Item Description  | Requirement |
|---------|------------------------|------------------|---|---|-------------|
| 1       | <b>KTEC,<br/>Jowai</b> | <i>Tailoring</i> | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function  | 3           |
| 2       |                        |                  | Set of Spares compatible with the quoted Sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10          |
| 3       |                        |                  | Denim Sewing Machine                                    | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5           |
| 4       |                        |                  | Sewing toolkit set                                      | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion                       | 30          |
| 5       |                        |                  | Label Heat Press Machine                                | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size   | 2           |
| 6       |                        |                  | Dry Iron  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 5           |
| 7       |                        |                  | Steam Iron  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank  | 2           |

| Sl. No. | Delivery Destination  | Trade   | Item                               | Item Description   | Requirement        |
|---------|---|---|------------------------------------|--|--------------------|
| 8       | KTEC, Jowai   |   | Stand Steam Iron                   | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings | 1                  |
| 9       |   |   | Ironing Board                      | At least 12 * 54 inches (WXL), adjustable height, heat resistant, metal body   | 3                  |
| 10      |   |   | Padded Sleeve Ironing Board        | Ironing board with padded arm for sleeve pressing  | 3                  |
| 11      |   |   | Cutting Mat                        | Self Healing, A1 Size  | 3                  |
| 12      |   |   | Designer Mood Board                | 5'X7'  | 3                  |
| 13      |   |   | Ladies Dress Form                  | Adjustable sizes   | 3                  |
| 14      |   |   | KTEC, Jowai                        | <i>Embroidery</i>  | Embroidery Machine |
| 15      | Professional Embroidery Machine                             | Motor operated, Big Table, Zig-zag Embroidery Machine, with knee lifter attachment                            |                                    |  | 5                  |
| 16      | Set of Spares compatible with the quoted Embroidery machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case               |                                    |  | 10                 |
| 17      | Computerized Embroidery Sewing Machine                      | Min. 250 Built-in Stitches and 150 Embroidery Designs, Motor operated, Big Table, with knee lifter attachment |                                    |  | 2                  |
| 18      | Soldering Machine   | 60W, Soldering Machine/Cut work Machine with Stand for Embroidery   |                                    |  | 2                  |
| 19      | KTEC, Jowai   | <i>Knitting</i>   | Transfer Needle Set                | Sizes - 1/2, 2/3 and 3/4   | 8                  |
| 20      |   |   | Portable Circular Knitting Machine | Round Knitting Machine, 48 Needle, hand crank with row counter, For Hat, Scarves, Gloves, Socks                        | 10                 |
| 21      |   |   | Hanging Weight                     | Claw type hanger weight for knitting   | 40                 |
| 22      |   |   | Knitting Needles Set               | 6,7,8,9,10,11 and 12   | 8                  |
| 23      | MPSW, Jowai   | <i>Carpentry</i>  | Professional Router                | Min. 1500W, Soft Start, Spindle Lock, Bit holder = 8 – 12.7 mm, 10000 to 25000 RPM, Max. Cage Stroke = 76 mm           | 2                  |
| 24      | West Jaintia Hills District                                 |   | Horizontal Sander                  | Min. 1000 W, Min. 2500 RPM, Sanding Belt Size = 6"   | 2                  |
| 25      |   |   | Belt & Disc Sander                 | Min. 350 W, Single Phase, Min. 1500 RPM, Belt Width = 6", Disc Dia. = 6", With Stand/Bench                             | 2                  |



| Sl. No. | Delivery Destination | Trade            | Item   | Item Description  | Requirement                  |
|---------|----------------------|------------------|--|---|------------------------------|
| 26      |                      |                  | Circular Saw   | Min. 1500 W, Min.4000 RPM, Blade Size = 10", Tilting Range = 0-45 Degrees, Mitre Gauge, Blade Guard,  | 2                            |
| 27      |                      |                  | Jig Saw  | Min.450 W, Adjustable Stroke Rate, Variable Speed, upto 45 Degree Bevel.  | 2                            |
| 28      |                      |                  | Portable Spray Painting Machine  | Min.400 W, Min.800 ml Tank,, Adjustable Spray Patterns, Adjustable Spray Flow Rate  | 2                            |
| Sl. No. | Delivery Destination | Trade            | Item   | Item Description  | Requirement                  |
| 1       | KTEC, Jowai, WJH     | <i>Carpentry</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)   | 1                            |
| 2       | KTEC, Jowai, WJH     |                  | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1                            |
| 3       |                      |                  | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 7                            |
| 4       |                      |                  | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 5                            |
| 5       |                      |                  | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25                           |
| 6       |                      |                  | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1                            |
| 7       |                      |                  | Plastic Stools for trainees  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 10                           |
| 8       |                      |                  |  | <i>Knitting Section</i>   | Tables for Knitting Machines |

| Sl. No. | Delivery Destination | Trade | Item   | Item Description   | Requirement |
|---------|----------------------|-------|--|--|-------------|
| 9       |                      |       | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH) | 23          |
| 10      |                      |       | Cutting table (Wooden) with Thick Fabric top | 78.74 inch X 40 inch x 31.4 inch , Wooden/Metal Frame, Top: Wooden base with Fabric cover of Denim/Canvas          | 6           |
| 11      |                      |       | White Board                                  | 4X6 feet, single-sided, magnetic, dry erasable   | 4           |

| Sl. No. | Delivery Destination | Trade     | Item  | Item Description  | Requirement |
|---------|----------------------|-----------|---|---|-------------|
| 1       | KTCE,<br>Mairang     | Tailoring | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function  | 2           |
| 2       |                      |           | Set of Spares compatible with the quoted Sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10          |
| 3       |                      |           | Denim Sewing Machine                                    | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5           |
| 4       |                      |           | Sewing toolkit set                                      | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion                       | 30          |
| 5       |                      | Tailoring | Label Heat Press Machine                                | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size   | 1           |
| 6       |                      |           | Dry Iron  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 5           |
| 7       |                      |           | Steam Iron  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank  | 2           |

| <b>Sl. No.</b> | <b>Delivery Destination</b> | <b>Trade</b>  | <b>Item</b>                 | <b>Item Description</b>  | <b>Requirement</b>   |                    |
|----------------|-----------------------------|---|-----------------------------|--|--|--------------------|
| 8              |                             |   | Stand Steam Iron            | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings | 1  |                    |
| 9              |                             |   | Ironing Board               | At least 12 * 54 inches (WXL), adjustable height, heat resistant, metal body   | 3  |                    |
| 10             |                             |   | Padded Sleeve Ironing Board | Ironing board with padded arm for sleeve pressing  | 3  |                    |
| 11             |                             |   | Cutting Mat                 | Self-Healing, A1 Size  | 4  |                    |
| 12             |                             |   | Designer Mood Board         | 5'X7'  | 2  |                    |
| 13             |                             |   | Ladies Dress Form           | Adjustable sizes   | 2  |                    |
| 14             |                             |   | <i>Embroidery</i>           | Embroidery Machine   | 2-in-1 (Foot & Motor Operated), Flatbed, Small Table, Zig-zag,   | 10                 |
| 15             |                             | Professional Embroidery Machine                             |                             | Motor operated, Big Table, Zig-zag Embroidery Machine, with knee lifter attachment                                     | 5  |                    |
| 16             |                             | Set of Spares compatible with the quoted embroidery machine |                             | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case                        | 10   |                    |
| 17             |                             | Computerized Embroidery Sewing Machine                      |                             | Min. 250 Built-in Stitches and 150 Embroidery Designs, Motor operated, Big Table, with knee lifter attachment          | 2  |                    |
| 18             |                             | Soldering Machine   |                             | 60W, Soldering Machine/Cut work Machine with Stand for Embroidery  | 2  |                    |
|                |                             |   |                             |  |  |                    |
| <b>Sl. No.</b> |                             | <b>Delivery Destination</b>                                 | <b>Trade</b>                | <b>Item</b>  | <b>Item Description</b>  | <b>Requirement</b> |
| 1              |                             |   | <i>Tailoring Section</i>    | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer                                 | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)                              | 1                  |
| 2              |                             |   |                             | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 1                  |
| 3              |                             |   |                             | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 5                  |

| Sl. No. | Delivery Destination      | Trade                     | Item   | Item Description  | Requirement |
|---------|---------------------------|---------------------------|--|---|-------------|
| 4       | KTEC,<br>Mairang,<br>EWKH |                           | Office Table (Single side shelf)             | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                           |                           | Armless Plastic Chair                        | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                           |                           | Drawing Table                                | 4x6x3 ft (WxDxH), table top thickness min. 20 mm, with bottom shelf, wood/mild steel frame  | 10          |
| 7       |                           |                           | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 10          |
| 8       |                           |                           | Cutting table (Wooden) with Thick Fabric top | 78.74 inch X 40 inch x 31.4 inch , Wooden/Metal Frame, Top: Wooden base with Fabric cover of Denim/Canvas   | 4           |
| 9       | KTEC,<br>Mairang,<br>EWKH | <i>Embroidery Section</i> | Drawing Table                                | 4x6x3 ft (WxDxH), table top thickness min. 20 mm, with bottom shelf, wood/mild steel frame  | 10          |
| 10      |                           | <i>Embroidery Section</i> | Plastic Stools for trainees                  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 10          |
| 11      |                           | <i>Embroidery Section</i> | White Board                                  | 4X6 feet, single-sided, magnetic, dry erasable  | 2           |
| 12      |                           | <i>Embroidery Section</i> | Steel Almirah                                | 36 X 19 X 78 inch (WDXH), 4 shelves/5 compartments, 4 shelves/5 compartments  | 8           |

| Sl. No. | Delivery Destination                 | Trade            | Item                | Technical Specifications   | Requirement |
|---------|--------------------------------------|------------------|---------------------|--|-------------|
| 1       | Carpentry Training Centre, Nongstoin | <i>Carpentry</i> | Professional Router | Min. 1500W, Soft Start, Spindle Lock, Bit holder = 8 – 12.7 mm, 10000 to 25000 RPM, Max. Cage Stroke = 76 mm | 2           |
| 2       |                                      |                  | Horizontal Sander   | Min. 1000 W, Min. 2500 RPM, Sanding Belt Size = 6"   | 2           |
| 3       |                                      |                  | Belt & Disc Sander  | >= 350 W, Single Phase, >= 1500 RPM, Belt Width = 6", Disc Dia. = 6", With Stand/Bench                       | 2           |

| Sl. No. | Delivery Destination      | Trade | Item                            | Technical Specifications   | Requirement |
|---------|---------------------------|-------|---------------------------------|--|-------------|
| 4       | West Khasi Hills District |       | Circular Saw                    | Min. 1500 W, Min.4000 RPM, Blade Size = 10", Tilting Range = 0-45 Degrees, Mitre Gauge, Blade Guard, | 2           |
| 5       |                           |       | Jig Saw                         | Min.450 W, Adjustable Stroke Rate, Variable Speed, upto 45 Degree Bevel.                             | 2           |
| 6       |                           |       | Portable Spray Painting Machine | Min.400 W, Min.800 ml Tank,, Adjustable Spray Patterns, Adjustable Spray Flow Rate                   | 2           |

| Sl. No. | Delivery Destination | Trade     | Item   | Technical Specifications  | Requirement |
|---------|----------------------|-----------|--|---|-------------|
| 1       | Nongstoin, WKH       | Carpentry | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)   | 1           |
| 2       |                      |           | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1           |
| 3       |                      |           | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5           |
| 4       |                      |           | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                      |           | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1           |
| 6       |                      |           | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 7       |                      |           | White Board  | 4X6 feet, single-sided, magnetic, dry erasable  | 1           |

| Sl. No. | Delivery Destination | Trade | Item | Technical Specifications | Requirement |
|---------|----------------------|-------|------|--------------------------|-------------|
|---------|----------------------|-------|------|--------------------------|-------------|

|   |  |                  |                                 |  |   |
|---|--|------------------|---------------------------------|--|---|
| 1 | <b>SMMC,<br/>Umsning<br/><br/>Ri Bhoi<br/>District</b> | <i>Carpentry</i> | Professional Router             | Min. 1500W, Soft Start, Spindle Lock, Bit holder = 8 – 12.7 mm, 10000 to 25000 RPM, Max. Cage Stroke = 76 mm | 2 |
| 2 |  |                  | Horizontal Sander               | Min. 1000 W, Min. 2500 RPM, Sanding Belt Size = 6"   | 2 |
| 3 |  |                  | Belt & Disc Sander              | Min. 350 W, Single Phase, Min. 1500 RPM, Belt Width = 6", Disc Dia. = 6", With Stand/Bench                   | 2 |
| 4 |  |                  | Circular Saw                    | Min. 1500 W, Min.4000 RPM, Blade Size = 10", Tilting Range = 0-45 Degrees, Mitre Gauge, Blade Guard,         | 2 |
| 5 |  |                  | Jig Saw                         | Min.450 W, Adjustable Stroke Rate, Variable Speed, upto 45 Degree Bevel.                                     | 2 |
| 6 |  |                  | Portable Spray Painting Machine | Min.400 W, Min.800 ml Tank,, Adjustable Spray Patterns, Adjustable Spray Flow Rate                           | 2 |

| Sl. No. | Delivery Destination                 | Trade          | Item   | Item Description  | Requirement |
|---------|--------------------------------------|----------------|--|---|-------------|
| 1       | <b>SMMC,<br/>Umsning,<br/>Ribhoi</b> | <i>Sawmill</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)   | 1           |
| 2       |                                      |                | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1           |
| 3       |                                      |                | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5           |
| 4       |                                      |                | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                                      |                | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1           |
| 6       |                                      |                | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |

|   |  |  |             |  |   |
|---|--|--|-------------|--|---|
| 7 |  |  | White Board | 4X6 feet, single-sided, magnetic, dry erasable | 1 |
|---|--|--|-------------|--|---|

| Sl. No. | Delivery Destination  | Trade                    | Item                            | Technical Specifications   | Requirement |
|---------|-----------------------|--------------------------|---------------------------------|--|-------------|
| 1       | DCIC,<br>Williamnagar | <i>Carpentry</i>         | Professional Router             | Min. 1500W, Soft Start, Spindle Lock, Bit holder = 8 – 12.7 mm, 10000 to 25000 RPM, Max. Cage Stroke = 76 mm                 | 2           |
| 2       |                       |                          | Horizontal Sander               | Min. 1000 W, Min. 2500 RPM, Sanding Belt Size = 6"   | 2           |
| 3       |                       |                          | Belt & Disc Sander              | Min. 350 W, Single Phase, Min. 1500 RPM, Belt Width = 6", Disc Dia. = 6", With Stand/Bench                                   | 2           |
| 4       |                       |                          | Circular Saw                    | Min. 1500 W, Min.4000 RPM, Blade Size = 10", Tilting Range = 0-45 Degrees, Mitre Gauge, Blade Guard,                         | 2           |
| 5       |                       |                          | Jig Saw                         | Min.450 W, Adjustable Stroke Rate, Variable Speed, upto 45 Degree Bevel.   | 2           |
| 6       |                       |                          | Portable Spray Painting Machine | Min.400 W, Min.800 ml Tank,, Adjustable Spray Patterns, Adjustable Spray Flow Rate   | 2           |
| 7       | DCIC,<br>Williamnagar | <i>Steel Fabrication</i> | Stand Drill Machine             | 1 HP, 8 Speed, Range 80-2500 RPM, >=20 mm Drilling Capacity, Height Adjustable Table   | 2           |
|         |                       |                          | Bench/Table Drill Machine       | Min. 6 mm, 500 Watt Bench Drill Machine with 9 Adjustable Speed and 2350 RPM   | 2           |
|         |                       |                          | Manual Sheet Bending Machine    | Min. 6 feet, Steel body, Bending Radius 0-50 mm, Bending Angle 0-90  | 1           |
|         |                       |                          | Straight Grinder                | 750W 33000rpm Straight Grinder,  | 5           |
| 8       |                       |                          | Tool Kit set                    | Measuring Tape, C-Clamp, Grip Pliers, Multi Angle Magnetic Welding Holder Clamps, Magnetic Grounding Clamps, Chipping Hammer | 10          |

| Sl. No. | Delivery Destination | Trade                         | Item   | Item Description  | Requirement |
|---------|----------------------|-------------------------------|--|---|-------------|
| 1       |                      | <i>Handloom &amp; Weaving</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable) | 1           |

| Sl. No. | Delivery Destination     | Trade                       | Item  | Technical Specifications  | Requirement  |  |
|---------|--------------------------|-----------------------------|---|---|--|--|
| 2       | DCIC,<br>Williamnagar    |                             | Office Chair for Computer Table   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1  |  |
| 3       |                          |                             | Office Chair  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5  |  |
| 4       |                          |                             | Office Table (Single side shelf)  | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3  |  |
| 5       |                          |                             | Armless Plastic Chair   | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25   |  |
| 6       |                          |                             | DCIC,<br>Williamnagar   | Plastic Stools for trainees   | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH) | 5  |
| 7       |                          |                             |   | Steel Almirah   | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments                                      | 8  |
| 8       |                          |                             |   | Steel Rack  | 78 x 41 x 18 Inch, 6 Shelves Storage, min. 22 Gauge Shelves & 16 Gauge Angle                                       | 2  |
| 9       |                          |                             |   | <i>Steel Fabrication</i>  | Plastic Stools for trainees  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH) |
| 10      | <i>Carpentry Section</i> | Plastic Stools for trainees |   | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 5  |  |
| 11      |                          | Steel Almirah               | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments | 4   |  |  |
| 12      |                          | Steel Rack                  | 78 x 41 x 18 Inch, 6 Shelves Storage, min. 22 Gauge Shelves & 16 Gauge Angle  | 2   |  |  |
| 13      |                          | White Board                 | 4X6 feet, single-sided, magnetic, dry erasable                                | 3   |  |  |



| Sl. No. | Delivery Destination | Trade                 | Item  | Item Description  | Requirement |
|---------|----------------------|-----------------------|---|---|-------------|
| 1       | KTEC,<br>Asanang     | <i>Tailoring</i>      | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function  | 4           |
|         |                      |                       | Set of Spares compatible with the quoted sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10          |
|         |                      |                       | Denim Sewing Machine                                    | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5           |
|         |                      |                       | Sewing toolkit set                                      | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion                       | 30          |
| 2       |                      |                       | Label Heat Press Machine                                | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size   | 4           |
| 3       |                      |                       | Dry Iron  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 8           |
| 4       |                      |                       | Steam Iron  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank  | 4           |
| 5       |                      |                       | Stand Steam Iron  | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings  | 2           |
| 6       |                      |                       | Ironing Board   | Min. 12 * 54 inches (WXL), adjustable height, heat resitant, metal body   | 5           |
| 7       |                      |                       | Padded Sleeve Ironing Board                             | Ironing board with padded arm for sleeve pressing   | 5           |
| 8       | Cutting Mat          | Self Healing, A1 Size | 5   |   |             |
| 9       | Designer Mood Board  | 5'X7'                 | 5   |   |             |
| 10      | Ladies Dress Form    | Adjustable sizes      | 4   |   |             |
| 11      |                      | <i>Embroidery</i>     | Embroidery Machine                                      | 2-in-1 (Foot & Motor Operated), Flatbed, Small Table, Zig-zag,  | 10          |

| Sl. No. | Delivery Destination | Trade                            | Item   | Item Description   | Requirement |
|---------|----------------------|----------------------------------|--|--|-------------|
| 12      | KTEC, Asanang        |                                  | Professional Embroidery Machine  | Motor operated, Big Table, Zig-zag Embroidery Machine, with knee lifter attachment   | 4           |
|         |                      |                                  | Set of Spares compatible with the quoted embroidery machine                            | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case  | 10          |
|         |                      |                                  | Computerized Embroidery Sewing Machine   | Min. 250 Built-in Stitches and 150 Embroidery Designs, Motor operated, Big Table, with knee lifter attachment                                  | 2           |
| 13      |                      |                                  | Soldering Machine  | 60W, Soldering Machine/Cut work Machine with Stand for Embroidery  | 2           |
| 14      |                      | Knitting                         | Transfer Needle Set  | Sizes - 1/2, 2/3 and 3/4   | 5           |
|         |                      |                                  | Portable Circular Knitting Machine   | Round Knitting Machine, 48 Needle, hand crank with row counter, For Hat, Scarves, Gloves, Socks  | 10          |
| 15      |                      |                                  | Hanging Weight   | Claw type hanger weight for knitting   | 40          |
| 16      |                      |                                  | Knitting Needles Set   | 6,7,8,9,10,11 and 12   | 10          |
|         |                      |                                  |  |  |             |
| Sl. No. | Delivery Destination | Trade                            | Item   | Item Description   | Requirement |
| 1       | Asanang, WGH         | Knitting, Tailoring & Embroidery | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)                              | 1           |
| 2       |                      |                                  | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 1           |
| 3       |                      |                                  | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH) | 5           |

| Sl. No. | Delivery Destination | Trade | Item                             | Item Description  | Requirement |
|---------|----------------------|-------|----------------------------------|---|-------------|
| 4       | Asanang, WGH         |       | Office Table (Single side shelf) | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                      |       | Armless Plastic Chair            | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                      |       | Steel Almirah                    | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1           |
| 7       |                      |       | Plastic Stools for trainees      | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 10          |
| 8       |                      |       | White Board                      | 4X6 feet, single-sided, magnetic, dry erasable  | 3           |

| Sl. No. | Delivery Destination                                 | Trade                    | Item  | Technical Specifications   | Requirement |
|---------|--|--------------------------|---|--|-------------|
| 1       | LBC,<br>Cherangre<br><br>West Garo Hills<br>District | <i>Carpentry</i>         | Professional Router   | Min. 1500W, Soft Start, Spindle Lock, Bit holder = 8 – 12.7 mm, 10000 to 25000 RPM, Max. Cage Stroke = 76 mm | 2           |
| 2       |  |                          | Horizontal Sander   | Min. 1000 W, Min. 2500 RPM, Sanding Belt Size = 6"   | 2           |
| 3       |  |                          | Belt & Disc Sander  | Min. 350 W, Single Phase, Min. 1500 RPM, Belt Width = 6", Disc Dia. = 6", With Stand/Bench                   | 2           |
| 4       |  |                          | Circular Saw  | Min. 1500 W, Min.4000 RPM, Blade Size = 10", Tilting Range = 0-45 Degrees, Mitre Gauge, Blade Guard,         | 2           |
| 5       |  |                          | Jig Saw   | Min.450 W, Adjustable Stroke Rate, Variable Speed, upto 45 Degree Bevel.                                     | 2           |
| 6       |  |                          | Portable Spray Painting Machine   | Min.400 W, Min.800 ml Tank,, Adjustable Spray Patterns, Adjustable Spray Flow Rate                           | 2           |
| 7       |  | <i>Steel Fabrication</i> | Stand Drill Machine   | 1 HP, 8 Speed, Range 80-2500 RPM, >=20 mm Drilling Capacity, Height Adjustable Table                         | 2           |
|         | Bench/Table Drill Machine                            |                          | Min. 6 mm 500 Watt Bench Drill Machine with 9 Adjustable Speed and 2350 RPM | 2  |             |

|         |                           |   | Manual Sheet Bending Machine   | Min. 6 feet, Steel body, Bending Radius 0-50 mm, Bending Angle 0-90   | 1           |
|---------|---------------------------|---|--|---|-------------|
|         |                           |   | Straight Grinder   | 750W 33000rpm Straight Grinder,   | 5           |
| 8       |                           |   | Tool Kit set   | Measuring Tape, C-Clamp, Grip Pliers, Multi Angle Magnetic Welding Holder Clamps, Magnetic Grounding Clamps, Chipping Hammer  | 10          |
|         |                           |   |  |   |             |
| Sl. No. | Delivery Destination      | Trade                                       | Item   | Item Description  | Requirement |
| 1       | LBC,<br>Cherangre,<br>WGH | <i>Steel<br/>Fabrication,<br/>Carpentry</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)   | 1           |
| 2       |                           |   | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1           |
| 3       |                           |   | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5           |
| 4       |                           |   | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                           |   | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                           |   | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1           |
| 7       |                           |   | Plastic Stools for trainees  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 10          |
| 8       |                           |   | White Board  | 4X6 feet, single-sided, magnetic, dry erasable  | 2           |

| Sl. No. | Delivery Destination  | Trade                    | Item                          | Technical Specifications   | Requirement |
|---------|---|--------------------------|-------------------------------|--|-------------|
| 1       | <b>Cane &amp; Bamboo Training Centre, Dakopgre</b><br><br><b>West Garo Hills District</b> | <i>Cane &amp; Bamboo</i> | Bamboo Length Cutting machine | Manual Operation   | 5           |
| 2       |   |                          | Bamboo Splitting Machine      | Manual Operation   | 5           |
| 3       |   |                          | Bamboo Slicer                 | Manual Operation   | 5           |
| 4       |   |                          | Jig Saw                       | Min.450 W, Adjustable Stroke Rate, Variable Speed, upto 45 Degree Bevel. | 2           |
| 5       |   |                          | Drilling Machine Set          | Variable Speed Reversible Impact Drill With Hand Tools & Accessories     | 10          |
| 6       |   |                          | CNC Router                    |  | 2           |

| Sl. No. | Delivery Destination   | Trade                    | Item   | Item Description  | Requirement |
|---------|--|--------------------------|--|---|-------------|
| 1       | <b>Cane &amp; Bamboo Training Centre, Dakopgre,</b><br><br><b>West Garo Hills District</b> | <i>Cane &amp; Bamboo</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)   | 1           |
| 2       |  |                          | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1           |
| 3       |  |                          | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5           |
| 4       |  |                          | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |  |                          | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |  |                          | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1           |

| Sl. No. | Delivery Destination | Trade | Item                        | Technical Specifications   | Requirement |
|---------|----------------------|-------|-----------------------------|--|-------------|
| 7       |                      |       | Plastic Stools for trainees | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH) | 10          |
|         |                      |       | White Board                 | 4X6 feet, single-sided, magnetic, dry erasable   | 1           |

| Sl. No. | Delivery Destination | Trade     | Item  | Item Description  | Requirement |
|---------|----------------------|-----------|---|---|-------------|
| 1       | LBC,<br>Dalu         | Tailoring | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function  | 5           |
| 2       |                      |           | Set of Spares compatible with the quoted sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10          |
| 3       |                      |           | Denim Sewing Machine                                    | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5           |
| 4       |                      |           | Sewing toolkit set                                      | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion                       | 30          |
| 5       |                      |           | Label Heat Press Machine                                | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size   | 2           |
| 6       |                      |           | Dry Iron  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 10          |
| 7       |                      |           | Steam Iron  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank  | 5           |
| 8       |                      |           | Stand Steam Iron  | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings  | 2           |
| 9       |                      |           | Ironing Board   | Min. 12 * 54 inches (WXL), adjustable height, heat resitant, metal body   | 5           |

| Sl. No. | Delivery Destination | Trade             | Item  | Item Description  | Requirement |
|---------|----------------------|-------------------|---|---|-------------|
| 10      | LBC, Dalu            |                   | Padded Sleeve Ironing Board                                 | Ironing board with padded arm for sleeve pressing   | 5           |
| 11      |                      |                   | Cutting Mat   | Self Healing, A1 Size   | 10          |
| 12      |                      |                   | Designer Mood Board   | 5'X7'   | 5           |
| 13      |                      |                   | Ladies Dress Form   | Adjustable sizes  | 2           |
| 14      |                      | <i>Embroidery</i> | Embroidery Machine  | 2-in-1 (Foot & Motor Operated), Flatbed, Small Table, Zig-zag,  | 10          |
| 15      |                      |                   | Professional Embroidery Machine                             | Motor operated, Big Table, Zig-zag Embroidery Machine, with knee lifter attachment                            | 5           |
| 16      |                      |                   | Set of Spares compatible with the quoted embroidery machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case               | 10          |
| 17      |                      |                   | Computerized Embroidery Sewing Machine                      | Min. 250 Built-in Stitches and 150 Embroidery Designs, Motor operated, Big Table, with knee lifter attachment | 2           |
| 18      |                      |                   | Soldering Machine   | 60W, Soldering Machine/Cut work Machine with Stand for Embroidery   | 5           |
| 19      |                      | <i>Knitting</i>   | Transfer Needle Set   | Sizes - 1/2, 2/3 and 3/4  | 5           |
| 20      |                      |                   | Portable Circular Knitting Machine                          | Round Knitting Machine, 48 Needle, hand crank with row counter, For Hat, Scarves, Gloves, Socks               | 10          |
| 21      |                      |                   | Hanging Weight  | Claw type hanger weight for knitting  | 40          |
| 22      |                      |                   | Knitting Needles Set  | 6,7,8,9,10,11 and 12  | 10          |

| Sl. No. | Delivery Destination | Trade                           | Item   | Item Description  | Requirement |
|---------|----------------------|---------------------------------|--|---|-------------|
| 1       |                      | <i>Knitting &amp; Tailoring</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable) | 1           |

| Sl. No. | Delivery Destination | Trade | Item                             | Item Description  | Requirement |
|---------|----------------------|-------|----------------------------------|---|-------------|
| 2       | LBC,<br>Dalu         |       | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1           |
| 3       |                      |       | Office Chair                     | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5           |
| 4       |                      |       | Office Table (Single side shelf) | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                      |       | Armless Plastic Chair            | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                      |       | Steel Almirah                    | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1           |
| 7       |                      |       | Plastic Stools for trainees      | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 10          |
| 8       |                      |       | White Board                      | 4X6 feet, single-sided, magnetic, dry erasable  | 3           |

| Sl. No. | Delivery Destination | Trade | Item  | Item Description  | Requirement |
|---------|----------------------|-------|---|---|-------------|
| 1       |                      |       | Multipurpose Sewing Machine                             | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function                  | 3           |
| 2       |                      |       | Set of Spares compatible with the quoted sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case | 10          |



| Sl. No. | Delivery Destination     | Trade            | Item                      | Item Description  | Requirement  |  |    |
|---------|--------------------------|------------------|---------------------------|---|--|--|----|
| 3       | KTEC,<br>Baghmara<br>SGH | <i>Tailoring</i> | Denim Sewing Machine      | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5  |  |    |
| 4       |                          |                  | Sewing toolkit set        | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion                       | 30   |  |    |
| 6       |                          |                  | Label Heat Press Machine  | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size   | 2  |  |    |
| 7       |                          |                  | Dry Iron                  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 5  |  |    |
| 8       |                          |                  | KTEC,<br>Baghmara,<br>SGH | <i>Tailoring</i>  | Steam Iron   | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank         | 2  |
| 9       |                          |                  |                           |   | Stand Steam Iron   | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings | 1  |
| 10      |                          |                  |                           |   | Ironing Board  | Min. 12 * 54 inches (WXL), adjustable height, heat resistant, metal body   | 3  |
| 11      |                          |                  |                           |   | Padded Sleeve Ironing Board                                    | Ironing board with padded arm for sleeve pressing  | 3  |
| 12      |                          |                  |                           |   | Cutting Mat  | Self Healing, A1 Size  | 3  |
| 13      |                          |                  |                           |   | Designer Mood Board  | 5'X7'  | 3  |
| 14      |                          |                  |                           |   | Ladies Dress Form  | Adjustable sizes   | 2  |
| 15      |                          |                  | <i>Embroidery</i>         | Embroidery Machine  | 2-in-1 (Foot & Motor Operated), Flatbed, Small Table, Zig-zag, | 12   |    |
| 16      |                          |                  |                           |   | Professional Embroidery Machine                                | Motor operated, Big Table, Zig-zag Embroidery Machine, with knee lifter attachment                                     | 4  |
| 17      |                          |                  |                           |   | Set of Spares compatible with the quoted embroidery machine    | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case                        | 10 |

| Sl. No. | Delivery Destination       | Trade                           | Item   | Item Description  | Requirement |
|---------|----------------------------|---------------------------------|--|---|-------------|
| 18      |                            |                                 | Computerized Embroidery Sewing Machine   | Min. 250 Built-in Stitches and 150 Embroidery Designs, Motor operated, Big Table, with knee lifter attachment   | 2           |
| 19      |                            |                                 | Soldering Machine  | 60W, Soldering Machine/Cut work Machine with Stand for Embroidery   | 2           |
|         |                            |                                 |  |   |             |
| 1       | <b>KTEC, Baghmara, SGH</b> | <i>Knitting &amp; Tailoring</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)   | 1           |
| 2       |                            |                                 | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1           |
| 3       |                            |                                 | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5           |
| 4       |                            |                                 | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                            |                                 | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                            |                                 | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 1           |
| 7       |                            |                                 | Plastic Stools for trainees  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 10          |
| 8       |                            |                                 | White Board  | 4X6 feet, single-sided, magnetic, dry erasable  | 2           |

| Sl. No. | Delivery Destination  | Trade            | Item                        | Item Description   | Requirement |
|---------|-----------------------|------------------|-----------------------------|--|-------------|
| 1       | <b>KTCE, Rongjeng</b> | <i>Tailoring</i> | Multipurpose Sewing Machine | 2-in-1 (Foot & Motor Operated) , Flatbed, Snap-on Presser Foot, Picot function | 2           |

| Sl. No. | Delivery Destination | Trade               | Item  | Item Description  | Requirement |
|---------|----------------------|---------------------|---|---|-------------|
|         | KTCE,<br>Rongjeng    | <i>Tailoring</i>    | Set of Spares compatible with the quoted sewing machine | 1 each of Needle Bar, tension set, Shuttle, Feed dog, Presser foot, Tension spring, Bobbin case   | 10          |
|         |                      |                     | Denim Sewing Machine                                    | 5000 SPM, Direct drive, Compact-size servomotor M92 (450W), automatic Thread trimmer, knee lifter, Single-phase 100-240V, 3-phase 200-240V, 5 mm stitch length, | 5           |
|         |                      |                     | Sewing toolkit set                                      | 1 each of measuring tape, seam ripper, 5" scissor, measuring scale, tracing wheel, thread trimmer, thumb guard, paper cutter, pin cushion                       | 30          |
| 2       |                      |                     | Label Heat Press Machine                                | Electric powered, manually heat transfer/fusing, for use on garments and fabrics, Min. 6"x6" label size   | 1           |
| 3       |                      |                     | Dry Iron  | Min 500 W, non-stick base, compatible with 6A/16A socket, corded electric iron  | 5           |
| 4       |                      |                     | Steam Iron  | Min 1000 W, non-stick base, compatible with 6A/16A socket, corded electric iron with inbuilt boiler/water tank  | 2           |
| 5       |                      |                     | Stand Steam Iron  | Min 1000 W, corded garment steamer, min 1000ml water tank, multi fabric suitable, inbuilt hanger, multi steam settings  | 1           |
| 6       |                      |                     | Ironing Board   | Min. 12 * 54 inches (WXL), adjustable height, heat resitant, metal body   | 3           |
| 7       |                      |                     | Padded Sleeve Ironing Board                             | Ironing board with padded arm for sleeve pressing   | 3           |
| 8       |                      |                     | Cutting Mat   | Self Healing, A1 Size   | 4           |
| 9       |                      | Designer Mood Board | 5'X7'   | 2   |             |
| 10      |                      | Ladies Dress Form   | Adjustable sizes  | 2   |             |
| 14      |                      | Transfer Needle Set | Sizes - 1/2, 2/3 and 3/4                                | 5   |             |
|         |                      | <i>Knitting</i>     | Portable Circular Knitting Machine                      | Round Knitting Machine, 48 Needle, hand crank with row counter, For Hat, Scarves, Gloves, Socks   | 10          |
| 15      |                      |                     | Hanging Weight  | Claw type hanger weight for knitting  | 20          |
| 16      |                      |                     | Knitting Needles Set                                    | 6,7,8,9,10,11 and 12  | 5           |

| Sl. No. | Delivery Destination      | Trade                   | Item   | Item Description  | Requirement |
|---------|---------------------------|-------------------------|--|---|-------------|
| 1       | KTCE,<br>Rongjeng,<br>EGH | <i>Knitting Section</i> | Computer Table with shelves for CPU, Printer, UPS, speaker and keyboard & mouse drawer | 35 inch X 20 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)<br>(Variance of 2 inch in Measurements acceptable)   | 1           |
| 2       |                           |                         | Office Chair for Computer Table  | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 1           |
| 3       |                           |                         | Office Chair   | Steel frame with back support, arm rest, padded back & seat, 4-legged, carrying capacity min. 150 kgs, min. dimensions 17x17x35 inches (WXDXH)                                | 5           |
| 4       |                           |                         | Office Table (Single side shelf)   | 42 inch X 24 inch X 30 inch (WxDxH) (wood/mdf top: min. 18 mm)  | 3           |
| 5       |                           |                         | Armless Plastic Chair  | Plastic moulded seat with back support structure, high quality virgin plastic, glossy finish, preferred dimensions - 18.5x20x35 inches, weight 2 kgs, 110 kgs weight capacity | 25          |
| 6       |                           |                         | Plastic Stools for trainees  | Plastic moulded seat, high quality virgin plastic, glossy finish, preferred dimensions - 12 X 12 X 18 inch (LXBXH)  | 20          |
| 7       |                           |                         | Working Table  | 4x6x3 ft (WxDxH), table top thickness min. 20 mm, with bottom shelf, wood/mild steel frame  | 5           |
| 8       |                           |                         | Tables for Knitting Machines   | 33 X 51 X 30 inch (LXBXH), Wooden/Metal Frame, Top: Wooden, min. 1.5 inch thickness   | 1           |
| 9       |                           |                         | Steel Almirah  | 36 X 19 X 78 inch (WXDXH), 4 shelves/5 compartments, 4 shelves/5 compartments   | 4           |
| 10      |                           |                         | White Board  | 4X6 feet, single-sided, magnetic, dry erasable  | 2           |
| 11      |                           | <i>Hostel</i>           | Single Bed (Steel)   | 72 X 30 X 18 inch (LXBXH)   | 20          |

Sd/-

Director of Commerce & Industries.

**GOVERNMENT OF MEGHALAYA  
OFFICE OF THE GENERAL MANAGER  
DISTRICT COMMERCE & INDUSTRIES CENTRE  
.....DISTRICT.**

**COMPLETION CERTIFICATE**

Certified that the following Machineries, Equipment and Furniture purchased under RAMP Scheme, MoMSME, Gol vide letter No \_\_\_\_\_, dtd \_\_\_\_\_ has been received in good working condition and trial test conducted successfully as follows:

| Sl No. | Location (Name of Training Centres) | Particulars | Quantity (Numbers) | Date of supply/ conduct trial test | Remarks (Working/Not Working) |
|--------|-------------------------------------|-------------|--------------------|------------------------------------|-------------------------------|
|        |                                     |             |                    |                                    |                               |
|        |                                     |             |                    |                                    |                               |
|        |                                     |             |                    |                                    |                               |
|        |                                     |             |                    |                                    |                               |

Date:

Address:

General Manager  
District Commerce & Industries Centre  
\_\_\_\_\_ District

